

CITY OF KANSAS CITY, MISSOURI
SUPPLEMENT NO. 7
TO APWA STANDARD SPECIFICATIONS AND DESIGN CRITERIA
DIVISION II, SECTION 2200, PAVING

The following additions, deletions, and/or revisions shall become a part of the adopted standard specification:

2208 PORTLAND CEMENT CONCRETE PAVEMENT

2208.10 The first paragraph of 2208.10 shall be revised to read:

2208.10 ***Repairing Defects: Any defect occurring prior to the end of the warranty period shall be repaired by removing and replacing the affected area to the nearest construction joints. After the warranty period has expired, defects shall be repaired*** in conformance with the following. Do not begin corrective work until after submitting a plan and receiving the Engineer's approval for repair methods.

2209 CURBING

2209.5 The following paragraph shall be added immediately following 2209.5.E.

2209.5.F ***Repairing Defects: Defects in the concrete shall be repaired in accordance with 2208.10.***

RESOLUTION

Be it resolved by the Director of Public Works of Kansas City, Missouri that the following listed Section of Division II, Construction and Materials Specifications, approved and adopted May 23, 2001 by the Kansas City Metropolitan Chapter of the American Public Works Association is approved and adopted as Official Standard Construction and Materials Specifications for the Department of Public Works of Kansas City, Missouri with like section and page numbers, except as modified by the replacement pages of the March 2005 KCMO Supplement and hereby further modified by the attached supplement.


Section 2200 Construction and Material Specifications for Paving

A copy of said specifications criteria and supplement are attached hereto and incorporated herein by reference.

The criteria shall become effective May 1, 2007 and shall modify all previously adopted supplements to this section.

Approved and adopted as Official Document No. CS060101

this 25th day of April, 2007.



Stan Harris, P.E.
Director of Public Works
of Kansas City, Missouri